Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18 7	1	"20020083318"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:33
S18 8	1	"20020114470"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:33
S18 9	1	"20020141575"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:33
S19 0	3116	(380/277 OR 380/270 OR 380/44 OR 380/201).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:43
S19 1	.1047	(713/164 OR 713/155).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:39
S19 2	1000	(726/26).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:39
S19 3	1	"20020150243"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:41
S19 4	1	"20020157002"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:41
S19 6	1	"5892900".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 07:55
S19 7	554884	cryptographic key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 08:25
S19 8	3038	tamper-resistant	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 08:00
S20 3	26983	secret	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 08:03
S20 6	744070	(cryptographic OR key OR public OR private)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 08:25
S20 7	786038	(chip OR (computer ADJ circuit) OR (integrated ADJ circuit) OR IC)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/09/06 08:29

S20 8	1	10/696495	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:17
S20 · 9	3292014	10/696495 AND secure processing point	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:17
S21 0	. 1	10/696495 AND (secure ADJ processing ADJ point)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:19
S21 1	1	10/696495 AND (secure ADJ processing ADJ point) WITH (chip ADJ identifier)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 10:32
S21 2	1	10/696495 AND "155"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 08:23
S21 3	. 0	10/696495 AND (processor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 10:33
S21 4	1	10/696495 AND (microprocessor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/02/02 10:33
S21 5	9	"20020157002" OR "20020150243" OR "20020141575" OR "20020114470" OR "20020083318" OR ("2002/0083318").URPN. OR "20020147920"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/03 18:00
S21 6	15	"20020157002" OR "20020150243" OR "20020141575" OR "20020114470" OR "20020083318" OR ("2002/0083318").URPN. OR "20020147920"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:00
S21 7	1	"2002157002"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:12
S21 8	2	"2002157002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:22

S21 9	2	"5892900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:25
S22 0		"5892900".pn. AND (SPU OR "Secure Processing Unit")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:28
S22 1	1	"5892900".pn. AND (SPU OR "Secure Processing Unit") SAME PPE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:32
S22 2	1	"5892900".pn. AND (SPU OR "Secure Processing Unit") SAME PPE SAME management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:35
S22 3	1	"5892900".pn. AND (PDA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:36
S22 4	1	"5892900".pn. AND (PDA or "personal device" OR wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:39
S22 5	1	"5892900".pn. AND (database with PPE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:39

S22	1	10/696495	US-PGPUB;	OR	ON	2007/06/04 06:20
7		10/030133	USPAT; IBM_TDB	OR	ON	2007/06/04 06:39
S22 8	1	10/696495	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 11:08
S22 9	501	"5,892,900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:10
S23 0	. 2	"5,892,900".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/06/04 15:10
S23 1	0	"5,892,900".pn. AND (chip NEAR ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:11
S23 2	1	"5,892,900".pn. AND (chip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:51
S23 3	0	"5,892,900".pn. AND (chip SAME ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:22

S23 4	2	"6,987853".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:22
S23 5	0	"20050091524n."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:23
S23 6		"20050091524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:24
S23 7	3	"20040103238"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 15:24

S23	674	("3573747'	' "3609697'	' I	US-PGPUB;	OR	ON	2007/06/04 17:07
8		1 •	"3798359"	•	,	O.C	0.1	2007/00/04 17:07
•			•	•	USPAT;		ļ	·
			"3798605"		USOCR		1	l
'		"3806882"	"3829833"				ļ	
		"3906448"	"3911397"	1			ĺ	
		"3924065"	i "3931504"	i		ĺ		
			"3956615"	<u> </u>			ļ	
				!				
			"3970992"	!]	
		"4048619"	"4071911"	İ		ļ		
		"4112421"	"4120030"					
		"4163280"	"4168396"	ĺ				
			"4200913"	i				
			"4217588"	!				
			*	!				*
			"4232193"	Į.				
			"4236217"	1			l	
		"4253157"	"4262329"	1				[
		"4265371"	"4270182"	į l				
<u>'</u>			"4305131"	i				,
			•	1				
			"4309569"	!				
			"4323921"	!				
		"4328544"	"4337483"					l
		"4361877"	"4375579"	1			1	1
ł		"4433207"	"4434464"	j				
			" 444 6519"	i l				
			"4458315"					
			" 44 62078"	¦			1	
			•	!				
			" 44 71163"	!				
			"4494156"	•				
			"4528588"		İ		1	
		"4528643"	"4553252"					
		"4558176"	"4558413"	1			}	
		"4562306"	"4562495"				i	
		"4577289"	"4584641"	i				
	-		"4589064"	i				
			"4593376"	¦				
			•	!			-	
			"4597058"	[İ		
			"4634807"			İ		
		"46 444 93"	" 464 6234"				Ì	·
		"4652990"	"4658093"					
		"4670857"	"4672572"	i		Ĭ	ł	
			"4680731"					
			"4685056"			1		
			"4691350"			}		
			•		}			ĺ
1			"4701846"		:	l		
1			 " 4713753"			.		
		"4727550"	 " 4740890"					
		"4747139"	"4757534"			ļ		
		"4757553"	"4768087"			1	-	ì
		· ·	"4796181"	i	l	İ		
			"4799156"	· . [
					Į			
			"4817140"		j	1		
1 1			"4827508"					
			"486 44 94"	ļ ,	1	}		
		"4868877"	"4903296"				İ	
	7 7:09:57 AM		"4930073"					Page 6
H:\cle2\	Real-Case\cas				96495.wsp			-3-9
			"5001752"					
1 1		1222000	1 2001/25	ı l	i	1	ı	ı

S23 9	6	S238 AND (chip SAME ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 17:24
S24 0	0	"2002157002"	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/04 17:24
S24 1		"2002157002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:24
S24 2	2	"2002157002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:30
S24 3	463	chip NEAR identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:30
S24 4	130	(chip NEAR identifier) NEAR5 (device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:38
S24 5	3	secure SAME (chip NEAR identifier) NEAR5 (device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:36
S24 7	5	secure SAME (chip NEAR identifier) SAME(device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:36

S24 8	2648	(cryptographic NEAR key) SAME (device OR PDA or wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:39
S24 9	5	S248 AND S244	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:42
S25 3	. 0	"5,892,900".pn. AND (chip NEAR ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 17:55
S25 4	1	"5,892,900".pn. AND (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:02
S25 5	2	"200211 44 70"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:02
S25 6	2	"2002141575"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:03
S25 7	0	"2002/141575"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/05 07:03

S25 8	2	"2002150243"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2007/06/05 07:29
S25 9	0	(personalk NEAR device) WITH manufacturere	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:29
S26 0		(personalk NEAR device) WITH manufacturer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:30
S26 1	0	(personalk NEAR device) WITH manufacturer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:30
S26 2	115	(personal NEAR device) WITH manufacturer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:08
\$26 3	7	(personal NEAR device) WITH manufacturer SAME key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 07:46
\$26 5		"5,892,900" AND (manufactur\$ NEAR key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:13

		I				
S26 6	19	"5,892,900" AND (manufactur\$5 NEAR key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:50
S26 7	13	"5,892,900" AND (manufactur\$5 NEAR key) SAME ID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:50
S26 8	16	"5,892,900" AND (manufactur\$5 NEAR key) SAME (ID or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:54
S26 9	430	(retriev\$4 OR read\$4) NEAR5 (chip NEAR2 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 08:56
S27 0	139	(retriev\$4 OR read\$4) NEAR5 (chip NEAR2 ID) SAME process\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:04
S27 2	6553	(380/277 OR 380/270 OR 380/44 OR 380/201 OR 380/247 OR 713/164 OR 713/155 OR 713/194 OR 726/26).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:07
S27 4	1	"5,892,900".pn. AND (SPU WITH PPE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:09

		·				<u></u>
S27 5	1	"5,892,900".pn. AND (PPE NEAR4 secure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:10
S27 6	3	"5,892,900" AND (chip NEAR10 ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:13
S28 0	1	"5,892,900".pn. AND (identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:16
S28 1	1	"5,892,900".pn. AND (personal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23
S28 2	6	key NEAR mangement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23
S28 3	6735	key NEAR management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23
S28 4	376	(key NEAR management) NEAR2 cryptographic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:23

			· · · · · · · · · · · · · · · · · · ·	1	1	
S28 5	104	(key NEAR management) NEAR2 cryptographic SAME (device OR PDA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:24
S28 6	24	S285 AND S272	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 09:24
S28 9		10/541860	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 10:32
S29 1	2	"6269395".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR .	ON	2007/06/05 12:24
S29 2	14	("5689638" "5875296" "6092196" "6115040" "6205480").PN. OR ("6269395"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 10:40
S29 3	1	11/525152	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:25
S29 4	1	10/186222	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:25
S29 5	2	10/051249	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:27
S29 6	1	(data NEAR5 chip NEAR10 (public NEAR database)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:35

S29 7	114374	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (identifer oR chip OR ID))".clm"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:38
S29 8	, 45	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (identifer))".clm"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:39
S29 9	114374	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (identifer oR chip OR ID))".clm."	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:38
S30 0	15	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (identifer)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:41
S30 1	10	((retriev\$4 OR restor\$4 OR receiv\$4 OR fetch\$4) NEAR5 (chip NEAR ID)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:49
S30 2	452	chip NEAR identifier	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:49
S30 3	116	(chip NEAR identifier) NEAR4 device	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:55
S30 4	128854	key NEAR10 (personal device)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:56
S30 5	16338	key NEAR10 (management)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:56

S30 6	5976	S304 and S305	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 12:56
S30 7	16	tamper-resistant NEAR4 chip NEAR5 device	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:00
\$30 8	3	key NEAR3 DRM NEAR5 SIM	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:04
S30 9	1	"5892900".pn. AND chip	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR .	ON	2007/06/05 13:05
S31 0	0	"5892900".pn. AND (chip NEAR identifier)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:05
S31 1	1	"5892900".pn. AND (identifier)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:07
S31 2	452	chip NEAR identifier	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:07
S31 3	71	(chip NEAR identifier) NEAR5 read	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:11
S31 4	5224	(assign\$4 OR stor\$4) NEAR2 key NEAR4 device	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/05 13:12

			T		T	
S31 5	30	(assign\$4 OR stor\$4) NEAR2 key NEAR4 (PDA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 06:47
S31 6	2	"20040146163"	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 06:47
S31 7		"20040146163" AND certificate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 07:01
S31 8	0	"20020150243" AND certificate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 07:45
S31 9	2	"6223291".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 09:29
S32 0	2	"6324405".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 07:54
S32 1	1	"20020157002" AND (identifier NEAR2 communication)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 13:41
S32 2	1	"20020150243" and (digital NEAR signature)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR _.	ON	2007/06/06 14:36
S32 3	2	"20020147920" AND (digital NEAR signature)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 13:53

S32 4	2	"6,654,465".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 13:53
S32 5	2	"20020150243" and (client NEAR device)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:55
S32 6	1	"20020157002" and (symmetric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 06:56

6/7/2007 7:09:57 AM H:\cle2\Real-Case\case1-Sep-05-06-10696495-Device-key\10-696495.wsp